

RAPID COMMUNICATIONS

Electronic structure: wide-band, narrow-band, and strongly correlated systems

- Direct Fermi-surface image of hidden nesting for $\text{NaMo}_6\text{O}_{17}$ and $\text{KMo}_6\text{O}_{17}$ R13 353
G. -H. Gweon, J. W. Allen, J. A. Clack, Y. X. Zhang, D. M. Poirier, P. J. Benning, C. G. Olson,
J. Marcus, and C. Schlenker
- Existence of a photonic pseudogap for visible light in synthetic opals R13 357
Yu. A. Vlasov, V. N. Astratov, O. Z. Karimov, A. A. Kaplyanskii, V. N. Bogomolov, and A. V. Prokofiev
- Period doubling in the two-dimensional antiferromagnet: Gauge fields and their anomalies R13 361
A. G. Abanov and J. C. Talstra
- Two-dimensional effects in nonlinear Kronig-Penney models R13 365
Yu. B. Gaididei, P. L. Christiansen, K. Ø. Rasmussen, and M. Johansson
- Heavy fermions survive the metamagnetic transition in UPd_2Al_3 R13 369
T. Terashima, C. Haworth, M. Takashita, H. Aoki, N. Sato, and T. Komatsubara
- Photoemission and x-ray-absorption study of the hole-doped ladder system $\text{La}_{1-x}\text{Sr}_x\text{CuO}_{2.5}$ R13 373
T. Mizokawa, K. Ootomo, T. Konishi, A. Fujimori, Z. Hiroi, N. Kobayashi, and M. Takano
- Threshold nonlinear conduction of thin samples of $\alpha\text{-TaS}_3$ above the Peierls transition temperature R13 377
V. Ya. Pokrovskii, S. V. Zaitsev-Zotov, and P. Monceau
- Band-gap shrinkage in n -type-doped CdO probed by photoemission spectroscopy R13 381
Y. Dou, T. Fishlock, R. G. Egdell, D. S. L. Law, and G. Beamson
- Positron-lifetime studies in the Kondo insulator FeSi R13 385
A. Bharathi, Y. Hariharan, Awadhesh Mani, and C. S. Sundar

Semiconductors II: surfaces, interfaces, microstructures, and related topics

- Specific plateaus of the quantum Hall effect induced by an applied bias R13 389
A. Aldea, P. Gartner, A. Manolescu, and M. Niřã
- Dynamic admittance of atomic wires R13 393
C. C. Wan, José-Luis Mozos, Jian Wang, and Hong Guo
- Observation of the logarithmic dispersion of high-frequency edge excitations R13 397
N. Q. Balaban, U. Meirav, Hadas Shtrikman, and V. Umansky
- Observation of magnetic breakdown in coupled double quantum wells R13 401
I. S. Millard, N. K. Patel, C. L. Foden, M. Y. Simmons, D. A. Ritchie, G. A. C. Jones, and M. Pepper
- Magnetic breakdown and Landau-level spectra of a tunable double-quantum-well Fermi surface R13 405
N. E. Harff, J. A. Simmons, S. K. Lyo, J. F. Klem, G. S. Boebinger, L. N. Pfeiffer, and K. W. West
- Enhanced g factors of a one-dimensional hole gas with quantized conductance R13 409
A. J. Daneshvar, C. J. B. Ford, A. R. Hamilton, M. Y. Simmons, M. Pepper, and D. A. Ritchie
- Excitonic and biexcitonic recombination in undoped and modulation-doped $\text{Zn}_{1-x}\text{Cd}_x\text{Se}/\text{ZnSe}$ quantum-well structures R13 413
L. Calcagnile, D. Cannoletta, R. Cingolani, M. Lomascolo, M. Di Dio, L. Vanzetti, L. Sorba, and
A. Franciosi
- Excitonic instability and termination of fractional quantum Hall effect R13 417
Rajiv K. Kamilla and J. K. Jain



Reflection symmetry at a $B = 0$ metal-insulator transition in two dimensions	R13 421
D. Simonian, S. V. Kravchenko, and M. P. Sarachik	
Coherent acoustic oscillations in metallic nanoparticles generated with femtosecond optical pulses	R13 424
M. Nisoli, S. De Silvestri, A. Cavalleri, A. M. Malvezzi, A. Stella, G. Lanzani, P. Cheyssac, and R. Kofman	
Band alignment and photoluminescence up-conversion at the GaAs/(ordered)GaInP ₂ heterojunction	R13 428
J. Zeman, G. Martinez, P. Y. Yu, and K. Uchida	

Surface physics, low-dimensional systems, and related topics

Electron-scattering states at solid surfaces calculated with realistic potentials	R13 432
S. Lorenz, C. Solterbeck, W. Schattke, J. Burmeister, and W. Hackbusch	
Submonolayer sensitivity of InSb on InP determined by friction-force microscopy	R13 436
Javier Tamayo, Ricardo García, Thomas Utzmeier, and Fernando Briones	
Thermal expansion of Ag(111)	R13 440
Abdelkader Kara, Pavlin Staikov, Ahlam N. Al-Rawi, and Talat S. Rahman	
Chemical identification of atoms at multicomponent surfaces on an atomic scale: CoSi ₂ (100)	R13 444
B. Voigtländer, V. Scheuch, H. P. Bonzel, S. Heinze, and S. Blügel	
Interlayer interactions in epitaxial oxide growth: FeO on Pt(111)	R13 448
Y. J. Kim, C. Westphal, R. X. Ynzunza, H. C. Galloway, M. Salmeron, M. A. Van Hove, and C. S. Fadley	
Decoherence and quantum fluctuations	R13 452
P. Mohanty and R. A. Webb	
Thermal and optical gaps in nearly-one-dimensional compounds	R13 456
G. Mihály, A. Virosztek, and G. Grüner	

ARTICLES**Electronic structure: wide-band, narrow-band, and strongly correlated systems**

Nonmagnetic molecular Jahn-Teller Mott insulators	13 465
Michele Fabrizio and Erio Tosatti	
Many-body definition of a Fermi surface: Application to angle-resolved photoemission	13 473
Th. Straub, R. Claessen, P. Steiner, S. Hüfner, V. Eyert, K. Friemelt, and E. Bucher	
Role of silicon vacancies in yttrium-disilicide compounds from <i>ab initio</i> calculations	13 479
L. Magaud, A. Pasturel, G. Kresse, and J. Hafner	
Basis functions for linear-scaling first-principles calculations	13 485
E. Hernández, M. J. Gillan, and C. M. Goringe	
Quasiparticle energy bands of transition-metal oxides within a model <i>GW</i> scheme	13 494
S. Massidda, A. Continenza, M. Posternak, and A. Baldereschi	
Quantum many-body potentials in a tight-binding-bond approximation: Application to the phase stability of carbon and silicon	13 503
G. Kreuch and J. Hafner	
Full charge-density scheme with a kinetic-energy correction: Application to ground-state properties of the 4 <i>d</i> metals	13 521
L. Vitos, J. Kollár, and H. L. Skriver	
Electronic structure and magnetic properties of the spin-Peierls compound CuGeO ₃	13 528
Serge Zagoulaev and Iliya I. Tupitsyn	
Electronic structure of barium-doped C ₆₀	13 542
Th. Schedel-Niedrig, M. C. Böhm, H. Werner, J. Schulte, and R. Schlögl	
Excitation spectra of LaCoO ₃	13 557
Manabu Takahashi and Jun-ichi Igarashi	

Hot electron relaxation: Exact solution for a many-electron model	13 564
K. Schönhammer and C. Wöhler	
Diagrammatic method for investigating universal behavior of impurity systems	13 575
Kurt Fischer	

Semiconductors I: bulk

Valence-band structure of group-IV semiconductors by means of local increments	13 588
Jürgen Gräfenstein, Hermann Stoll, and Peter Fulde	
Cyclotron resonance of conduction electrons in GaAs at very high magnetic fields	13 598
N. Miura, H. Nojiri, P. Pfeffer, and W. Zawadzki	
Electronic and structural anomalies in lead chalcogenides	13 605
Su-Huai Wei and Alex Zunger	
Translationally invariant polarons in conjugated conducting polymers	13 611
Hsin-Fei Meng and Chih-Ming Lai	
Electrical properties of the titanium acceptor in silicon carbide	13 618
Thomas Dalibor, Gerhard Pensl, Nils Nordell, and Adolf Schöner	
High-resolution spectroscopy of the zero-phonon line of the deep donor <i>EL2</i> in GaAs	13 625
C. Hecht, R. Kummer, M. Thoms, and A. Winnacker	
Calculation of linear and second-order optical response in wurtzite GaN and AlN	13 630
James L. P. Hughes, Y. Wang, and J. E. Sipe	
Raman spectroscopy study of ZnSe and $\text{Zn}_{0.84}\text{Fe}_{0.16}\text{Se}$ at high pressures	13 641
Chih-Ming Lin, Der-San Chuu, Tzong-Jer Yang, Wu-Ching Chou, Ji-an Xu, and Eugene Huang	
Exciton absorption bleaching studies in ordered $\text{Ga}_x\text{In}_{1-x}\text{P}$	13 647
B. Fluegel, Y. Zhang, H. M. Cheong, A. Mascarenhas, J. F. Geisz, J. M. Olson, and A. Duda	
Electronic stopping power of ^{10}B in Si in random and $\langle 100 \rangle$ channeling directions	13 651
J. H. R. dos Santos, M. Behar, P. L. Grande, H. Boudinov, R. Stoll, Chr. Klatt, and S. Kalbitzer	
Langmuir-Blodgett films of polyaniline: Fabrication and transport studies	13 658
P. Granholm, J. Paloheimo, and H. Stubb	

Semiconductors II: surfaces, interfaces, microstructures, and related topics

Excitons in superlattices: Absorption asymmetry, dimensionality transition, and exciton localization	13 664
Norbert Linder	
Effect of well thickness on the two-dimensional electron-hole system in $\text{Al}_x\text{Ga}_{1-x}\text{Sb}/\text{InAs}$ quantum wells	13 677
Ikai Lo, Jih-Chen Chiang, Shiow-Fon Tsay, W. C. Mitchel, M. Ahoujja, R. Kaspi, S. Elhamri, and R. S. Newrock	
Strong-confinement approach for impurities in parabolic quantum dots	13 682
J. M. Ferreyra, P. Bosshard, and C. R. Proetto	
Observation of Γ -X resonances in type-I GaAs/AlAs semiconductor superlattices:	
Anomaly in photoluminescence	13 689
M. Hosoda, H. Mimura, N. Ohtani, K. Tominaga, K. Fujita, T. Watanabe, H. Inomata, and M. Nakayama	
Conductance and addition spectrum of a 2×2 quantum-dot array in the extended Hubbard model	13 697
Zhiming Yu, Thomas Heinzl, and A. T. Johnson	
Coulomb drag in mesoscopic rings	13 702
T. V. Shahbazyan and S. E. Ulloa	
Two-electron quantum dot in a magnetic field: Analytical results	13 707
M. Dineykhon and R. G. Nazmitdinov	
Optical near-field response of semiconductor quantum dots	13 715
B. Hanewinkel, A. Knorr, P. Thomas, and S.W. Koch	
Electron scattering through a quantum dot: A phase lapse mechanism	13 726
Yuval Oreg and Yuval Gefen	

Duality near quantum Hall transitions	13 730
E. Shimshoni, S. L. Sondhi, and D. Shahar	
Hypernetted-chain treatment and the extended shadow wave functions for fractional quantum Hall hierarchical states	13 739
O. Ciftja, S. Fantoni, and K. A. Gernoth	
Probing the Schottky barrier with conduction electron spin resonance	13 745
J. M. Anderberg, G. T. Einevoll, D. C. Vier, S. Schultz, and L. J. Sham	
Resonant Rayleigh scattering by excitonic states laterally confined in the interface roughness of GaAs/Al _x Ga _{1-x} As single quantum wells	13 752
N. Garro, L. Pugh, R. T. Phillips, V. Drouot, M. Y. Simmons, B. Kardynal, and D. A. Ritchie	
Exciton quantum beats in type-II GaAs/AlAs superlattices in longitudinal and in-plane magnetic fields	13 761
I. V. Mashkov, C. Gourdon, P. Lavallard, and D. Yu Roditchev	
Electron-spin relaxation in <i>p</i> -type quantum wells via the electron-hole exchange interaction: The effects of the valence-band spin mixing and of an applied longitudinal electric field	13 771
M. Z. Maialle and M. H. Degani	
Spectral line splitting due to exciton-photon interaction in GaAs/AlAs multiple quantum wells	13 778
M. Opher-Lipson, E. Cohen, and L. N. Pfeiffer	
First-principles calculations for charged states of hydrogen atoms in SiO ₂	13 783
Ayumi Yokozawa and Yoshiyuki Miyamoto	
Spin flip of excitons in GaAs quantum wells	13 789
D. W. Snoke, W. W. Rühle, K. Köhler, and K. Ploog	
Thouless conductance formula in one dimension and its relevance to persistent-current experiments	13 795
P. Singha Deo	
Microscopic theory of the intracollisional field effect in semiconductor superlattices	13 799
Jörg Hader, Torsten Meier, Stephan W. Koch, Fausto Rossi, and Norbert Linder	
Interactions and disorder in multichannel quantum wires	13 808
N. P. Sandler and Dmitrii L. Maslov	
Magnetoresistance and Hall constant of composite fermions	13 817
D. V. Khveshchenko	

Surface physics, low-dimensional systems, and related topics

Surface structure of cadmium selenide nanocrystallites	13 822
A. C. Carter, C. E. Bouldin, K. M. Kemner, M. I. Bell, J. C. Woicik, and S. A. Majetich	
Why Si(100) steps are rougher after etching	13 829
F. J. Williams, C. M. Aldao, Y. Gong, and J. H. Weaver	
Alkali-metal plasmons, pseudopotentials, and optical sum rules	13 835
Paola Alippi, Paolo La Rocca, and Giovanni B. Bachelet	
Energetics of vacancy and substitutional impurities in aluminum bulk and clusters	13 842
D. E. Turner, Z. Z. Zhu, C. T. Chan, and K. M. Ho	
Grain-boundary diffusion of cation vacancies in nickel oxide: A molecular-dynamics study	13 853
Theodoros Karakasidis and Madeleine Meyer	
Decahedral and icosahedral Cu-Au alloy particles grown under a controlled-potential region in acid solutions	13 865
Da-ling Lu and Ken-ichi Tanaka	
Effect of metal band characteristics on resonant electron capture: H ⁻ formation in the scattering of hydrogen ions on Mg, Al, and Ag surfaces	13 869
M. Maazouz, A. G. Borisov, V. A. Esaulov, J. P. Gauyacq, L. Guillemot, S. Lacombe, and D. Teillet-Billy	
Atomic structure and stability of AlN(0001) and (000 $\bar{1}$) surfaces	13 878
John E. Northrup, R. Di Felice, and Jörg Neugebauer	
Room-temperature instability of the Mn/Ag(100) interface in the monolayer range	13 884
P. Schieffer, C. Krembel, M. C. Hanf, and G. Gewinner	

Local structural and vibrational properties of stepped surfaces: Cu(211), Cu(511), and Cu(331)	13 894
Sondan Durukanoglu, Abdelkader Kara, and Talat S. Rahman	
Desorption and diffusion at pulsed-laser-melted surfaces: The case of chlorine on silicon	13 904
Bogdan Dragnea, Jacques Boulmer, Jean-Pierre Budin, Dominique Débarre, and Bernard Bourguignon	
<i>Ab initio</i> study of step formation and self-diffusion on Ag(100)	13 916
Byung Deok Yu and Matthias Scheffler	
Oxidation process in titanium thin films	13 925
I. Vaquila, M. C. G. Passeggi, Jr., and J. Ferrón	
Preparation of well-ordered cobalt nanostructures on Au(111)	13 932
Christian Tölkes, Peter Zeppenfeld, Michael A. Krzyzowski, Rudolf David, and George Comsa	
Diffraction from non-Gaussian rough surfaces	13 938
Y.-P. Zhao, G.-C. Wang, and T.-M. Lu	
Structural and electronic properties of transition-metal/BaTiO ₃ (001) interfaces	13 953
Fangyi Rao, Miyoung Kim, A. J. Freeman, Shaoping Tang, and Mark Anthony	
Plasmons in graphite and stage-1 graphite intercalation compounds	13 961
M. F. Lin, C. S. Huang, and D. S. Chuu	
Use of spin-polarized electron-energy-loss spectroscopy to investigate dipole and impact scattering from transition-metal surfaces	13 972
H. Hsu, M. Magugumela, B. E. Johnson, F. B. Dunning, and G. K. Walters	
Electronic structure of single-wall, multiwall, and filled carbon nanotubes	13 980
D. Östling, D. Tománek, and A. Rosén	
Bombardment-induced light emission from a Si(100) target	13 989
D. Ghose, U. Brinkmann, and R. Hippler	
Interlayer interactions in Pd/Pd(1.2-at. % Fe) multilayers	13 993
Soong-Hyuck Lee and D. J. Webb	
Resistance change of cobalt and niobium films when exposed to hydrogen and carbon monoxide	13 999
A. L. Cabrera, W. Garrido-Molina, J. Colino, D. Lederman, and Ivan K. Schuller	
Cumulative Author Index	14 005