

PHYSICAL REVIEW B

CONDENSED MATTER

THIRD SERIES, VOLUME 55, NUMBER 21

CONTENTS

1 JUNE 1997-I

BRIEF REPORTS

Structure, structural phase transitions, mechanical properties, defects, etc.

<i>In situ</i> neutron-reflectometry measurements of hydrogen and deuterium absorption in a Pd/Nb/Pd layered film	14 035
Alan E. Munter, Brent J. Heuser, and M. W. Ruckman	
Forbidden reflections in Laue geometry	14 039
V. K. Ignatovich, Masahiko Utsuro, and Ph. V. Ignatovich	
Elastic constants and electronic structure of beryllium chalcogenides BeS, BeSe, and BeTe from first-principles calculations	14 043
M. González-Díaz, P. Rodríguez-Hernández, and A. Muñoz	
Probability model for relaxation	14 047
Hong-Zhang Zhuang, Xian-Wu Zou, Zhun-Zhi Jin, and De-Cheng Tian	
Hydrogen site occupation in YPd ₃ with <i>L</i> 1 ₂ structure	14 051
Sadae Yamaguchi, Zhi-Qiang Li, Rong-Tang Fu, and Yoshiyuki Kawazoe	

Inhomogeneous, disordered, and partially ordered systems

Spectral characteristics of second-order optical nonlinearities in poled polymer films containing charged chromophore aggregates	14 055
P. M. Lundquist, S. Yitzchaik, T. J. Marks, G. K. Wong, S. Di Bella, R. Cohen, and G. Berkovic	
Comparison of bonding in amorphous silicon and carbon	14 059
S. J. Clark, J. Crain, and G. J. Ackland	
Two-dimensional character of an amorphous state in a eutectoid reaction of a Ti–40 at. % Al alloy	14 063
M. Tanimura, Y. Inoue, and Y. Koyama	

Dynamics, dynamical systems, lattice effects, quantum solids, etc.

Binary wave in a helical fiber	14 067
V. Krylov and L. I. Slepyan	
Why phantom nuclei must be considered in the Johnson-Mehl-Avrami-Kolmogoroff kinetics	14 071
M. Tomellini and M. Fanfoni	
Absence of elastic anomalies for Co/Ni superlattices with oscillatory transport	14 074
C. Hartmann, C. Mathieu, B. Hillebrands, Sihong Kim, and Ivan K. Schuller	
Transport properties of one-dimensional interacting fermions in aperiodic potentials	14 076
Juan Carlos Chaves and Indubala I. Satija	

Magnetism

Existence of a tricritical point at finite field in the three-dimensional random-field Ising model	14 080
Laura Hernández and H. T. Diep	
Undulatory variation of antiferromagnetic strength with magnetic field based on the Hubbard-model Hamiltonian	14 084
Hyeonjin Doh, Seung-Pyo Hong, and Sung-Ho Salk	
Double transitions in the fully frustrated XY model	14 088
Gun Sang Jeon, Sung Yong Park, and M. Y. Choi	
Quasiparticle photoemission intensity in doped two-dimensional quantum antiferromagnets	14 092
F. Lema and A. A. Aligia	

(Continued)

Quantum critical effects in mean-field glassy systems	14 096
Felix Ritort	
Antiferromagnetic ordering in the doped Kondo insulator CeRhSb	14 100
Latika Menon and S. K. Malik	
Energetics of the spin transition in LaCoO ₃	14 103
Svein Stølen, Fredrik Grønbold, Hendrik Brinks, Tooru Atake, and Hideki Mori	
Evidence of pressure-induced antiferromagnetism in ferromagnetic Ho _{0.4} Gd _{0.6}	14 107
A. Vl. Andrianov and O. D. Chistiakov	
Hydrostatic high-pressure studies on the ferromagnetic Kondo-lattice compounds CePdSb and CeAg to 16 GPa ...	14 109
A. L. Cornelius, A. K. Gangopadhyay, J. S. Schilling, and W. Assmus	
Magnetization and conductivity for La _{1-x} Sr _x MnO ₃ -type crystals	14 113
R. Allub and B. Alascio	
Model Hamiltonian for the conductivity oscillations of magnetic multilayers	14 117
Miguel Kiwi, Ana María Llois, Ricardo Ramírez, and Mariana Weismann	
Nanoscale spatial switching of magnetic anisotropy in pseudomorphic Fe(110) on W(110)	14 121
N. Weber, K. Wagner, H. J. Elmers, J. Hauschild, and U. Gradmann	
Colossal magnetoresistance in (La _{0.7} Sn _{0.3}) ₂ Mn ₂ O ₇	14 125
S. Dai, Z. W. Li, A. H. Morrish, X. Z. Zhou, J. G. Zhao, and X. M. Xiong	
Field-induced staggered magnetization near impurities in the $S = \frac{1}{2}$ one-dimensional Heisenberg antiferromagnet Sr ₂ CuO ₃	14 129
Masashi Takigawa, Naoki Motoyama, Hiroshi Eisaki, and Shinichi Uchida	
Transverse magneto-optical Kerr effect of Fe at the Fe 3 <i>p</i> threshold	14 133
M. Pretorius, J. Friedrich, A. Ranck, M. Schroeder, J. Voss, V. Wedemeier, D. Spanke, D. Knabben, I. Rozhko, H. Ohldag, F. U. Hillebrecht, and E. Kisker	

Superfluidity and superconductivity

Counter argument to the phase transition to the flux-lattice state	14 136
M. A. Moore	
Deuterated κ -(BEDT-TTF) ₂ Cu[N(CN) ₂]Br: A system on the border of the superconductor–magnetic-insulator transition	14 140
A. Kawamoto, K. Miyagawa, and K. Kanoda	
Numerical study of vortices in a two-dimensional XY model with in-plane magnetic field	14 144
M. E. Gouvêa, G. M. Wysin, and A. S. T. Pires	
NMR spectra for a nested Fermi-liquid model	14 148
D. Djajaputra and J. Ruvalds	
In-plane optical response of Bi ₂ Sr ₂ CuO ₆	14 152
A. A. Tsvetkov, J. Schützmann, J. I. Gorina, G. A. Kaljushnaia, and D. van der Marel	
Finite vortex correlation in the <i>c</i> direction in YBa ₂ Cu ₃ O _{7-δ} above the first-order melting transition	14 156
E. F. Righi, S. A. Grigera, G. Nieva, D. López, and F. de la Cruz	
Origin of subgrain structure within a domain in melt-processed YBa ₂ Cu ₃ O ₇	14 160
E. Sudhakar Reddy and T. Rajasekharan	

ARTICLES**Structure, structural phase transitions, mechanical properties, defects, etc.**

Determination of the in-plane elastic tensor of crystalline decanol monolayers on water by x-ray diffraction	14 163
Cécile Zakri, Anne Renault, Jean-Paul Rieu, Marcel Vallade, Bruno Berge, Jean-François Legrand, Guillaume Vignault, and Gerhard Grübel	

(Continued)

Real-space characterization of short-range order in Cu-Pd alloys	14 173
M. Rodewald, K. Rodewald, P. De Meulenaere, and G. Van Tendeloo	
Towards a microscopic approach to the intermolecular interaction in solid C ₆₀	14 182
S. Savin, A. B. Harris, and T. Yildirim	
Perturbed-angular-correlation study of the electric-field gradient in ¹⁸¹ Hf-doped and implanted indium sesquioxide	14 200
M. Rentería, F. G. Requejo, A. G. Bibiloni, A. F. Pasquevich, J. Shitu, and K. Freitag	
Unsteady heat conduction by internal-energy waves in solids	14 208
A. Barletta and E. Zanchini	

Inhomogeneous, disordered, and partially ordered systems

Combined effect of periodicity, disorder, and absorption on wave propagation through stratified media: An approximate analytical solution	14 214
A. Kondilis	
Coherent alloy phase separation: Differences in canonical and grand canonical ensembles	14 222
E. M. Vandeworp and Kathie E. Newman	
Amplification and localization behaviors of obliquely incident light in randomly layered media	14 230
Wenji Deng and Zhao-Qing Zhang	
Model of holographic recording in amorphous chalcogenide films using subband-gap light at room temperature ...	14 236
A. Ozols, N. Nordman, O. Nordman, and P. Riihola	
Cluster expansions at alloy surfaces: Formalism and application to segregation in Ni-Cu	14 245
S. Ouannasser, L. T. Wille, and H. Dreyssé	

Dynamics, dynamical systems, lattice effects, quantum solids, etc.

Coexistence of Jahn-Teller distortions in an O_h symmetry: A general view including the spin-orbit interaction	14 257
M. Bacci, E. Mihókova, and K. Polák	
Stable nonlinear heavy-mass impurity modes	14 265
Yuri S. Kivshar, Fei Zhang, and Alexander S. Kovalev	
Structural changes in the compounds LiM ^{IV} ₂ (PO ₄) ₃ (M^{IV} =Ge, Ti, Sn, and Hf) as followed by ³¹ P and ⁷ Li NMR	14 270
Miguel A. París and Jesús Sanz	
Intrinsic point defects in crystalline silicon: Tight-binding molecular dynamics studies of self-diffusion, interstitial-vacancy recombination, and formation volumes	14 279
Meijie Tang, L. Colombo, Jing Zhu, and T. Diaz de la Rubia	
Measurement and simulation of anisotropy in the infrared and Raman spectra of β -FeSi ₂ single crystals	14 290
G. Guizzetti, F. Marabelli, M. Patrini, P. Pellegrino, B. Pivac, L. Miglio, V. Meregalli, H. Lange, W. Henrion, and V. Tonn	

Magnetism

Solvable model of a random spin- $\frac{1}{2}$ XY chain	14 298
Oleg Derzhko and Johannes Richter	
Localized-magnetic-moment theory of Fe-Ni Invar	14 311
J. M. Wesselinowa, I. P. Ivanov, and P. Entel	
Point-contact spectroscopy on URu ₂ Si ₂	14 318
J. G. Rodrigo, F. Guinea, S. Vieira, and F. G. Aliev	
Ising lattices with $\pm J$ second-nearest-neighbor interactions	14 323
A. J. Ramírez-Pastor, F. Nieto, and E. E. Vogel	
Ground state of the Kondo model with large spin	14 330
Shun-Qing Shen	

Crystal and magnetic structures of $\text{SrBi}_{0.2}\text{Tb}_{0.8}\text{O}_3$ via neutron diffraction	14 335
M. Wołczyr, R. Horyń, G. André, and F. Bourée	
Spin dynamics in mesoscopic size magnetic systems: A ^1H NMR study in rings of iron (III) ions	14 341
A. Lascialfari, D. Gatteschi, F. Borsa, and A. Cornia	
Magnetism of Rh and Ru atoms, clusters, and monolayers on Au and Ag surfaces	14 350
H. Beckmann and G. Bergmann	
Coherent magnetic structures in terbium/holmium superlattices	14 360
C. Bryn-Jacobsen, R. A. Cowley, D. F. McMorro, J. P. Goff, R. C. C. Ward, and M. R. Wells	
Magnetic sublattice interactions in UFe_4Al_8	14 370
J. A. Paixão, B. Lebech, A. P. Gonçalves, P. J. Brown, G. H. Lander, P. Burlet, A. Delapalme, and J. C. Spirlet	
Oscillations with Co and Cu thickness of the current-perpendicular-to-plane giant magnetoresistance of a Co/Cu/Co(001) trilayer	14 378
J. Mathon, A. Umerski, and Murielle Villeret	
Two distinct magnetic oscillations in a high-field spin-density-wave phase for the organic conductor $(\text{TMTSF})_2\text{ClO}_4$	14 387
S. Uji, J. S. Brooks, M. Chaparala, S. Takasaki, J. Yamada, and H. Anzai	
Magnetic structure and anisotropy in Fe/Cu(001) over- and interlayers with antiferromagnetic interlayer coupling ..	14 392
L. Szunyogh, B. Újfalussy, and P. Weinberger	
Spin-wave-theory analytic solution of a Heisenberg model with long-range interactions on a Bethe lattice	14 397
José Rogan and Miguel Kiwi	
Annealing and pressure effects on structural and ferromagnetic transitions of $\text{La}_{0.85}\text{Sr}_{0.15}\text{MnO}_3$ single crystals	14 408
Mitsuru Itoh, Kojiro Nishi, Jian Ding Yu, and Yoshiyuki Inaguma	
Behavior of a frustrated quantum spin chain with bond dimerization	14 413
Tota Nakamura and Satoshi Takada	
Experimental and theoretical profiles of the frequency-dependent complex susceptibility of systems containing nanometer-sized magnetic particles	14 423
P. C. Fannin, T. Relihan, and S. W. Charles	
Magnetic properties of thin Ni films measured by a dc SQUID-based magnetic microscope	14 429
O. V. Snigirev, K. E. Andreev, A. M. Tishin, S. A. Gudoshnikov, and J. Bohr	
Complex three-dimensional magnetic ordering in ultrathin films of fcc Co upon deposition of Cu	14 434
A. V. Smirnov and A. M. Bratkovsky	
Semiclassical magnetotransport theory for two-dimensional electron systems in lateral superlattices	14 439
J. Kučera, P. Středa, and R. R. Gerhardts	
Spin-dependent scattering from correlated impurities at interfaces	14 450
R. Y. Gu, L. Sheng, D. Y. Xing, and Jinming Dong	
Magnetoresistance study of Co/Cu/NiFe/Cu multilayers prepared on V-groove substrates	14 457
Teruo Ono, Yasunari Sugita, Kunji Shigeto, Ko Mibu, Nobuyoshi Hosoi, and Teruya Shinjo	
Inelastic neutron scattering in single-crystal YbInCu_4	14 467
J. M. Lawrence, S. M. Shapiro, J. L. Sarrao, and Z. Fisk	

Superfluidity and superconductivity

Ripplon-limited mobility of surface electrons on thick films of ^3He over ^4He	14 473
Sviatoslav S. Sokolov, José-Pedro Rino, and Nelson Studart	
Detection of quantized flux penetration into very small 0-type Josephson links in $\text{Bi}_2\text{Sr}_2\text{Ca}_1\text{Cu}_2\text{O}_y$ single crystals using ESR spectrometry	14 479
Takeshi Kusumori, Nobumitsu Murayama, and Hachizo Muto	
Fluxon dynamics in long Josephson junctions in the presence of a temperature gradient or spatial nonuniformity	14 486
V. M. Krasnov, V. A. Oboznov, and N. F. Pedersen	

(Continued)

Disorder in two-dimensional Josephson junctions	14 499
Baruch Horovitz and Anatoly Golub	
Susceptibility of superconductor disks and rings with and without flux creep	14 513
Ernst Helmut Brandt	
⁶³ Cu NMR studies of copper sulfide	14 527
Shin-hachiro Saito, Hideki Kishi, Kohji Nié, Hisakazu Nakamaru, Fumihiko Wagatsuma, and Takeshi Shinohara	
Current-temperature phase diagram of layered superconductors	14 536
Stephen W. Pierson	
Spectral functions of lightly doped antiferromagnets using dressed hole operators	14 543
José A. Riera and Elbio Dagotto	
Non-Fermi-liquid states and pairing instability of a general model of copper oxide metals	14 554
C. M. Varma	
Normal-state spin gap of Bi-based superconductors	14 581
Mao Zhiqiang, Xu Gaojie, Wang Ruiping, Wang Keqing, Tian Mingliang, and Zhang Yuheng	
Origin of superconductivity suppression in (Dy _{1-x} Pr _x)Ba ₂ Cu ₃ O ₇ studied by soft-x-ray absorption spectroscopy ...	14 586
J. M. Chen, R. S. Liu, J. G. Lin, C. Y. Huang, and J. C. Ho	
Effect of interband transitions on <i>c</i> -axis penetration depth of layered superconductors	14 592
W. A. Atkinson and J. P. Carbotte	
Proximity coupling in high- <i>T_c</i> Josephson junctions produced by focused electron beam irradiation	14 600
W. E. Booij, A. J. Pauza, E. J. Tarte, D. F. Moore, and M. G. Blamire	
Effect of the reversibility region on the low-temperature vortex structure imaged by Bitter magnetic decoration ...	14 610
F. Pardo, A. P. Mackenzie, F. de la Cruz, and J. Guimpel	
Dispersion relations in doped CuO ₂ planes	14 614
A.-M. Daré and J.-L. Richard	
Electronic structure of TlBa ₂ CaCu ₂ O _{7-δ}	14 623
R. P. Vasquez, D. L. Novikov, A. J. Freeman, and M. P. Siegal	
Temperature-dependent changes in the structure of high-quality polycrystalline Bi ₂ Sr ₂ CaCu ₂ O _{8+x} material	14 632
P. A. Miles, S. J. Kennedy, A. R. Anderson, G. D. Gu, G. J. Russell, and N. Koshizuka	
Collective motion of Josephson vortices in intrinsic Josephson junctions in Bi ₂ Sr ₂ CaCu ₂ O _{8+y}	14 638
G. Hechtfischer, R. Kleiner, K. Schlenga, W. Walkenhorst, P. Müller, and H. L. Johnson	

COMMENTS

Comment on “bcc arsenic at 111 GPa: An x-ray structural study”	14 645
H. Iwasaki	
Comment on “Paramagnetic Meissner effect in Nb”	14 647
T. M. Rice and M. Sigrist	
Reply to “Comment on ‘Paramagnetic Meissner effect in Nb’ ”	14 649
P. Kostić, B. Veal, A. P. Paulikas, U. Welp, V. R. Todt, C. Gu, U. Geiser, J. M. Williams, K. D. Carlson, and R. A. Klemm	
Cumulative Author Index	14 653