

PHYSICAL REVIEW B

CONDENSED MATTER AND MATERIALS PHYSICS

THIRD SERIES, VOLUME 57, NUMBER 18

CONTENTS

1 MAY 1998-II

RAPID COMMUNICATIONS

Structure, structural phase transitions, mechanical properties, defects, etc.

- Atomic defects in $D0_3$ -Ni₃Sb: An *ab initio* study R11 019
 G. Bester, B. Meyer, and M. Fähnle
- Description of the ZnCl₄ ordering process in K₂ZnCl₄ R11 023
 F. X. Leduc, A. Hédoux, and J. M. Kiat

Inhomogeneous, disordered, and partially ordered systems

- Quantum transport velocity in strongly scattering media R11 027
 Rudi Malfliet

Dynamics, dynamical systems, lattice effects, quantum solids, etc.

- Spectral frequency distribution for liquid deuterium determined by neutron scattering R11 031
 M. Mukherjee, F. J. Bermejo, S. M. Bennington, and B. Fåk
- Spin-Peierls transition in α' -NaV₂O₅ determined by infrared reflectivity R11 035
 D. Smirnov, P. Millet, J. Leotin, D. Poilblanc, J. Riera, D. Augier, and P. Hansen

Magnetism

- Weak ferromagnetism, metal-to-nonmetal transition, and negative differential resistivity in single-crystal Sr₂IrO₄ R11 039
 G. Cao, J. Bolivar, S. McCall, J. E. Crow, and R. P. Guertin
- Midgap states of La_{1-x}Ca_xMnO₃: Doping-dependent optical-conductivity studies R11 043
 J. H. Jung, K. H. Kim, T. W. Noh, E. J. Choi, and Jaejun Yu
- Reinvestigation of long-range magnetic ordering in icosahedral Tb-Mg-Zn R11 047
 Z. Islam, I. R. Fisher, J. Zarestky, P. C. Canfield, C. Stassis, and A. I. Goldman
- Field-induced transverse spin ordering in FeBr₂ R11 051
 O. Petravic, Ch. Binek, W. Kleemann, U. Neuhausen, and H. Lueken
- Ru NMR and NQR probes of the metamagnetic transition in CeRu₂Si₂ R11 054
 K. Ishida, Y. Kawasaki, Y. Kitaoka, K. Asayama, H. Nakamura, and J. Flouquet
- Coexistence of glassiness and canted antiferromagnetism in triangular quantum Heisenberg antiferromagnets with weak Dzyaloshinskii-Moriya interaction R11 058
 M. A. Gîrțu, C. M. Wynn, W. Fujita, K. Awaga, and A. J. Epstein
- Crystal structure and magnetic properties of [Mn₁₂O₁₂(O₂CPh)₁₆(H₂O)₄]·2(PhCO₂H): Evidence of domain formation with different blocking temperatures R11 062
 Keiji Takeda, Kunio Awaga, and Tamotsu Inabe
- Magnetic nature of (100) surfaces of bcc RuV, RhV, and PdV binary alloys R11 065
 Ilja Turek, Stefan Blügel, and Josef Kudrnovský

(Continued)

CONTENTS - *Continued*

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 57, NUMBER 18

1 MAY 1998-II

Superfluidity and superconductivity

Manifestation of history-dependent critical currents via dc and ac magnetization measurements in single crystals of CeRu ₂ and 2H-NbSe ₂	R11 069
G. Ravikumar, V. C. Sahni, P. K. Mishra, T. V. Chandrasekhar Rao, S. S. Banerjee, A. K. Grover, S. Ramakrishnan, S. Bhattacharya, M. J. Higgins, E. Yamamoto, Y. Haga, M. Hedo, Y. Inada, and Y. Onuki	
Observation of Andreev reflection in all-superconducting single-electron transistors	R11 073
R. J. Fitzgerald, S. L. Pohlen, and M. Tinkham	
Evidence for magnetic pseudoscaling in overdoped La _{2-x} Sr _x CuO ₄	R11 077
J. G. Naeini, X. K. Chen, K. C. Hewitt, J. C. Irwin, T. P. Devereaux, M. Okuya, T. Kimura, and K. Kishio	
Zn-substitution effects on the optical conductivity in YBa ₂ Cu ₃ O _{7-δ} crystals: Strong pair breaking and reduction of in-plane anisotropy	R11 081
N. L. Wang, S. Tajima, A. I. Rykov, and K. Tomimoto	
Temperature variation of the pseudogap in underdoped cuprates	R11 085
Andrey V. Chubukov and Jörg Schmalian	
Collective modes and the superconducting-state spectral function of Bi ₂ Sr ₂ CaCu ₂ O ₈	R11 089
M. R. Norman and H. Ding	
Phenomenology of the low-energy spectral function in high- <i>T_c</i> superconductors	R11 093
M. R. Norman, M. Randeria, H. Ding, and J. C. Campuzano	
Electronic Raman scattering from Bi ₂ Sr ₂ CaCu ₂ O _{8+δ} : Doping dependence of the pseudogap and anomalous 600 cm ⁻¹ peak	R11 097
J. W. Quilty, H. J. Trodahl, and D. M. Pooke	
Evidence for a second one-dimensional set of states shedding light on the normal phase of high- <i>T_c</i> superconductors	R11 101
N. L. Saini, J. Avila, M. C. Asensio, S. Tajima, G. D. Gu, N. Koshizuka, A. Lanzara, and A. Bianconi	

ARTICLES

Structure, structural phase transitions, mechanical properties, defects, etc.

Resonant inelastic x-ray scattering	11 107
P. M. Platzman and E. D. Isaacs	
Neutron-scattering studies on the vibrational excitations and the structure of ordered niobium hydrides: The ε phase	11 115
B. Hauer, R. Hempelmann, T. J. Udovic, J. J. Rush, E. Jansen, W. Kockelmann, W. Schäfer, and D. Richter	
Neutron diffraction study of orientational freezing in TiNO ₂ and CsNO ₂	11 125
R. Feyerherm, M. F. Collins, and G. P. Johari	
Anisotropic cluster model for the short-range order in Cu _{1-x} Pd _x -type alloys	11 132
P. De Meulenaere, M. Rodewald, and G. Van Tendeloo	
Structural properties of molecular solid iodine under pressure: First-principles study of Raman-active <i>A_g</i> modes and hyperfine parameters	11 141
Kenji Yamaguchi and Hiroshi Miyagi	
Electronic structure and structural stability of the ternary AuCo _{2(1-u)} Sn ₄ and AuNi ₂ Sn ₄ phases	11 149
Alexandra Neumann, D. Nguyen-Manh, A. Kjekshus, and A. P. Sutton	
Atomistic visualization of deformation in gold	11 158
Tokushi Kizuka	
Thermodynamics and mechanism of the <i>B1-B2</i> phase transition in group-I halides and group-II oxides	11 164
C. E. Sims, G. D. Barrera, N. L. Allan, and W. C. Mackrodt	
Linear birefringence behavior of A ₂ BX ₄ -type ferroic crystals in the normal-incommensurate phase transition	11 173
Dal-Young Kim, Sook-Il Kwun, and Jong-Gul Yoon	

(Continued)

CONTENTS - *Continued*

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 57, NUMBER 18

1 MAY 1998-II

Uniqueness of the complex diffraction amplitude in x-ray Bragg diffraction	11 178
A. Yu. Nikulin	
Vacancy self-diffusion parameters in tungsten: Finite electron-temperature LDA calculations	11 184
Alessandra Satta, F. Willaime, and Stefano de Gironcoli	
Inhomogeneous, disordered, and partially ordered systems	
Energy loss of electrons traveling parallel to the interface of a semi-infinite granular composite	11 193
Carlos I. Mendoza, Rubén G. Barrera, and Ronald Fuchs	
Glassy freezing in relaxor ferroelectric lead magnesium niobate	11 204
Adrijan Levstik, Zdravko Kutnjak, Cene Filipič, and Raša Pirc	
Cross-link density influence on the relaxations in glass- and gel-forming polyurethanes by neutron and Brillouin scattering	11 212
Y. Scheyer, C. Levelut, J. Pelous, and D. Durand	
Derivation of the proper basis of quasicrystals	11 223
A. Cervellino, T. Haibach, and W. Steurer	
Electron-phonon scattering times in crystalline disordered titanium alloys between 3 and 15 K	11 232
C. Y. Wu, W. B. Jian, and J. J. Lin	
Electron and hole transport in undoped $\text{Bi}_{0.96}\text{Sb}_{0.04}$ alloys	11 242
B. Lenoir, M. O. Selme, A. Demouge, H. Scherrer, Yu. V. Ivanov, and Yu. I. Ravich	
Stationary points of the Thouless-Anderson-Palmer free energy	11 251
Andrea Cavagna, Irene Giardina, and Giorgio Parisi	
Effect of resonances on diffusive scattering	11 258
B. Elattari, V. Kagalovsky, and H. A. Weidenmüller	
First-principles calculations of bulk and interfacial thermodynamic properties for fcc-based Al-Sc alloys	11 265
Mark Asta, S. M. Foiles, and A. A. Quong	
Dynamics, dynamical systems, lattice effects, quantum solids, etc.	
Electron-phonon coupling in the metallic elements Al, Au, Na, and Nb: A first-principles study	11 276
R. Bauer, A. Schmid, P. Pavone, and D. Strauch	
Strain relaxation at the 3C-SiC/Si interface: Raman scattering experiments	11 283
L. A. Falkovsky, J. M. Bluet, and J. Camassel	
Decay of mesoscopically localized vibrational eigenstates in porous materials	11 295
V. L. Gurevich and H. R. Schober	
Solitary excitations in discrete two-dimensional nonlinear Schrödinger models with dispersive dipole-dipole interactions	11 303
P. L. Christiansen, Yu. B. Gaididei, M. Johansson, K. Ø. Rasmussen, V. K. Mezentsev, and J. Juul Rasmussen	
Energy landscape, minimum points, and non-Arrhenius behavior of supercooled liquids	11 319
Michael Schulz	
Ultrafast dynamics of nonequilibrium electrons in a gold nanoparticle system	11 334
Hideyuki Inouye, Koichiro Tanaka, Ichiro Tanahashi, and Kazuyuki Hirao	
Positronium in alkali halides: Tunneling from the delocalized to the self-trapped state	11 341
I. V. Bondarev and T. Hyodo	
Phonon modes and metal-insulator transition in GaN crystals under pressure	11 349
L. A. Falkovsky, W. Knap, J. C. Chervin, and P. Wisniewski	
Moving glass theory of driven lattices with disorder	11 356
Pierre Le Doussal and Thierry Giamarchi	

(Continued)

CONTENTS - Continued

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 57, NUMBER 18

1 MAY 1998-II

Magnetism

Random transverse Ising spin chain and random walks	11 404
Ferenc Iglói and Heiko Rieger	
Smecticlike phase for modulated XY spins in two dimensions	11 421
M. Gabay, M. Benakli, and W. M. Saslow	
Exact two-spinon dynamic structure factor of the one-dimensional $s = \frac{1}{2}$ Heisenberg-Ising antiferromagnet	11 429
A. Hamid Bougourzi, Michael Karbach, and Gerhard Müller	
Two-chain spin ladder with frustrating second-neighbor interactions	11 439
Zheng Weihong, V. Kotov, and J. Oitmaa	
Numerical study of the two-dimensional Heisenberg model using a Green function Monte Carlo technique with a fixed number of walkers	11 446
Matteo Calandra Buonaura and Sandro Sorella	
Numerical study of the random dimerized XX spin-1/2 chain	11 457
P. Henelius and S. M. Girvin	
Ordering of oxygen moments in ferromagnetic edge-sharing CuO_4 chains in $\text{La}_{14-x}\text{Ca}_x\text{Cu}_{24}\text{O}_{41}$	11 467
M. Matsuda, K. M. Kojima, Y. J. Uemura, J. L. Zarestky, K. Nakajima, K. Kakurai, T. Yokoo, S. M. Shapiro, and G. Shirane	
Magnetic properties of $R_6\text{Fe}_{13-x}\text{M}_{1+x}$ compounds and their hydrides	11 472
C. H. de Groot, K. H. J. Buschow, and F. R. de Boer	
Auto-oscillation thresholds at the main resonance in ferrimagnetic films	11 483
A. Prabhakar and D. D. Stancil	
Magnetic anisotropy of the nickel-doped spin-Peierls cuprate CuGeO_3	11 492
P. E. Anderson, J. Z. Liu, and R. N. Shelton	
Anharmonic structural behavior in CuGeO_3	11 497
M. Braden, E. Ressouche, B. Büchner, R. Keßler, G. Heger, G. Dhalenne, and A. Revcolevschi	
Metamagnetism in the XXZ model with next-to-nearest-neighbor coupling	11 504
C. Gerhardt, K.-H. Mütter, and H. Kröger	
Dynamic behavior of vortices in the classical two-dimensional anisotropic Heisenberg model	11 510
J. E. R. Costa, B. V. Costa, and D. P. Landau	
Structural and magnetic characterizations of hcp $\text{Ni}_{1-x}\text{Fe}_x$ ($0 < x < 20\%$) films	11 517
J. C. A. Huang, Y. M. Hu, C. C. Yu, C. H. Tsao, and C. H. Lee	
Magnetoresistance of the double-tunnel-junction Coulomb blockade with magnetic metals	11 521
Kingshuk Majumdar and Selman Hershfield	
Hyperfine field of francium in iron	11 527
B. Will, P. Herzog, R. Paulsen, J. Camps, P. De Moor, P. Schuurmans, N. Severijns, A. Van Geert, L. Vanneste, I. Berkes, M. De Jesus, M. Lindroos, and P. Van Duppen	
Spin gap and dynamics in $\text{Sr}_{14-x}\text{Ca}_x\text{Cu}_{24}\text{O}_{41}$ comprising hole-doped two-leg spin ladders: Cu NMR study on single crystals	11 533
K. Magishi, S. Matsumoto, Y. Kitaoka, K. Ishida, K. Asayama, M. Uehara, T. Nagata, and J. Akimitsu	
Spin dynamics in hole doped $S = \frac{1}{2}$ chains and ladders from NMR and susceptibility measurements in $\text{Sr}_{14-x}\text{Na}_x\text{Cu}_{24}\text{O}_{41}$	11 545
P. Carretta, P. Ghigna, and A. Lascialfari	
Single-pulse nuclear spin echo in magnets	11 554
I. G. Kiliptari and V. I. Tsifrinovich	
Mössbauer study of the hyperfine interaction of ^{57}Fe in $\text{Y}_{1-s}\text{Co}_{5+2s}$ and related compounds	11 565
M. Forker, A. Julius, M. Schulte, and D. Best	
Critical behavior of the spin- $\frac{3}{2}$ Blume-Capel model in two dimensions	11 575
J. C. Xavier, F. C. Alcaraz, D. Peña Lara, and J. A. Plascak	
Spin-orbit interactions in the many-body theory of magnetic electron systems	11 582
A. K. Rajagopal and Mogus Mochena	

(Continued)

CONTENTS - Continued

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 57, NUMBER 18

1 MAY 1998-II

Large magnetoresistance of the ferromagnetic intermetallics URhSi and URhGe	11 592
V. H. Tran and R. Troć	
Spin-orbit-induced magnetic anisotropy for impurities in metallic samples. I. Surface anisotropy	11 598
O. Újsághy and A. Zawadowski	
Spin-orbit-induced magnetic anisotropy for impurities in metallic samples. II. Finite-size dependence in the Kondo resistivity	11 609
O. Újsághy and A. Zawadowski	
Temperature and thickness dependence of magnetic moments in NiO epitaxial films	11 623
D. Alders, L. H. Tjeng, F. C. Voogt, T. Hibma, G. A. Sawatzky, C. T. Chen, J. Vogel, M. Sacchi, and S. Iacobucci	
Antiferroelectric-to-paraelectric transition in BaFCl	11 632
B. Sundarakkannan, R. Kesavamoorthy, J. Adeline Nisha, V. Sridharan, and T. Sivakumar	
Superfluidity and superconductivity	
Upper bounds on the superfluid stiffness of disordered systems	11 639
Arun Paramakanti, Nandini Trivedi, and Mohit Randeria	
Fundamental inversion problem for the magnetic-force microscopy of superconductors	11 648
Mark W. Coffey	
From BCS theory for isotropic homogeneous systems to the complete Ginzburg-Landau equations for anisotropic inhomogeneous systems	11 654
Longdao Xu, Zhenghuang Shu, and Sihui Wang	
Pressure coefficient of the superconducting transition temperature: Nonadiabatic superconductivity	11 661
Sujit Sarkar	
Dimer-hole-RVB state of the two-leg t - J ladder: A recurrent variational ansatz	11 666
Germán Sierra, Miguel Angel Martín-Delgado, Jorge Dukelsky, Steven R. White, and D. J. Scalapino	
Precise magnetization measurements of single crystalline $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$	11 674
Kazuo Kadowaki and Kazuhiro Kimura	
One-dimensional Mott localization of quantum vortices in Josephson-junction arrays	11 684
A. van Oudenaarden, B. van Leeuwen, M. P. M. Robbens, and J. E. Mooij	
Bunched fluxon states in one-dimensional Josephson-junction arrays	11 691
Alexey V. Ustinov, Boris A. Malomed, and Shigeki Sakai	
Quantitative investigation of the de Haas-van Alphen effect in the superconducting state	11 698
T. J. B. M. Janssen, C. Haworth, S. M. Hayden, P. Meeson, M. Springford, and A. Wasserman	
Vortices in coupled planes with columnar disorder and bosonic ladders	11 713
E. Orignac and T. Giamarchi	
Structure and magnetization of a two-dimensional vortex liquid in the presence of strong pinning	11 730
Chandan Dasgupta and Denis Feinberg	
Theory of the temperature and doping dependence of the Hall effect in a model with x-ray edge singularities in $d=\infty$	11 738
Mukul S. Laad and Stefan Blawid	
Quasiparticle bands and superconductivity for the multiple-layer and three-dimensional superlattice t - J models . . .	11 743
Wei-Guo Yin and Chang-De Gong	
Nonlinear magnetization in superconductors with $s+d$ ordering	11 752
J. J. Betouras and Robert Joynt	
Electronic structure, Fermi surface, and antiferromagnetism of high- T_c cuprate materials and their doping dependence	11 760
M. Sugihara, M. A. Ikeda, and P. Entel	
Temperature dependence of the anisotropy of the planar oxygen nuclear spin-lattice relaxation rate in $\text{YBa}_2\text{Cu}_3\text{O}_y$	11 769
J. A. Martindale, P. C. Hammel, W. L. Hults, and J. L. Smith	

(Continued)

CONTENTS - *Continued*

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 57, NUMBER 18

1 MAY 1998-II

Resonant absorption at the vortex-core states in d -wave superconductors	11 775
N. B. Kopnin	
Superconductivity and structure of a few-unit-cells-thick Bi-Sr-Ca-Cu-O ultrathin films	11 786
Kazuo Saito and Masatsugu Kaise	
Cu(2) nuclear resonance evidence for a magnetic phase in aged 60-K superconductors	
$R\text{Ba}_2\text{Cu}_3\text{O}_{6+x}$ ($R=\text{Tm}, \text{Y}$)	11 792
A. V. Dooglav, H. Alloul, O. N. Bakharev, C. Berthier, A. V. Egorov, M. Horvatic, E. V. Krjukov, P. Mendels, Yu. A. Sakhratov, and M. A. Teplov	
Cumulative Author Index	11799