

PHYSICAL REVIEW B

For editorial and subscription correspondence,
please see inside front cover
(ISSN: 0163-1829)

PERIODICALS

Postmaster send address changes to:
American Institute of Physics
500 Sunnyside Boulevard
Woodbury, NY 11797-2999

THIRD SERIES, VOLUME 58, NUMBER 12

CONTENTS

15 SEPTEMBER 1998-II

RAPID COMMUNICATIONS

Electronic structure: wide-band, narrow-band, and strongly correlated systems

- Nonlocal dynamical correlations of strongly interacting electron systems R7475
M. H. Hettler, A. N. Tahvildar-Zadeh, M. Jarrell, T. Pruschke, and H. R. Krishnamurthy
- Ab initio* study of the dielectric properties of silicon and gallium arsenide using polarized Wannier functions R7480
Pablo Fernández, Andrea Dal Corso, and Alfonso Baldereschi
- Coherent phonons from the CDW state in η - Mo_4O_{11} R7484
Kisoda Kenji, Muneaki Hase, Hiroshi Harima, Shin-ichi Nakashima, Masahiko Tani, Kiyomi Sakai,
Hiroshi Negishi, and Masasi Inoue
- Development of bond-length alternation in very large carbon rings: LDA pseudopotential results R7488
Eric J. Bylaska, John H. Weare, and Ryoichi Kawai
- Percolation-dominated conductivity in a conjugated-polymer-carbon-nanotube composite R7492
J. N. Coleman, S. Curran, A. B. Dalton, A. P. Davey, B. McCarthy, W. Blau, and R. C. Barklie
- Optical conductivity of the Kondo insulator YbB_{12} : Gap formation and low-energy excitations R7496
H. Okamura, S. Kimura, H. Shinozaki, T. Nanba, F. Iga, N. Shimizu, and T. Takabatake

Semiconductors II: surfaces, interfaces, microstructures, and related topics

- Triangular-tiled arrangement of 7×7 and 1×1 domains on Si(111) R7500
H. Hibino, Y. Homma, and T. Ogino
- Stability of the $c(4 \times 8)$ structure in the adsorption of Pb in the (100) surface of elemental semiconductors R7504
Noboru Takeuchi
- Zeeman splitting of excitons and biexcitons in single $\text{In}_{0.60}\text{Ga}_{0.40}\text{As}/\text{GaAs}$ self-assembled quantum dots R7508
A. Kuther, M. Bayer, A. Forchel, A. Gorbunov, V. B. Timofeev, F. Schäfer, and J. P. Reithmaier
- Frequency-dependent shot noise as a probe of electron-electron interaction in mesoscopic diffusive contacts R7512
K. E. Nagaev
- Electron refraction in ballistic electron-emission microscopy studied by a superlattice energy filter R7516
J. Smoliner, R. Heer, C. Eder, and G. Strasser
- Properties of the apparent metal-insulator transition in two-dimensional systems R7520
Y. Hanein, D. Shahar, J. Yoon, C. C. Li, D. C. Tsui, and Hadas Shtrikman
- Conductance peak distributions in quantum dots at finite temperature: Signatures of the charging energy R7524
Y. Alhassid, M. Gökçedağ, and A. D. Stone
- Transition between static and dynamic electric-field domain formation in weakly coupled
GaAs/AlAs superlattices R7528
Naoki Ohtani, Norifumi Egami, Holger T. Grahn, Klaus H. Ploog, and Luis L. Bonilla
- Absence of floating delocalized states in a two-dimensional hole gas R7532
S. C. Dultz, H. W. Jiang, and W. J. Schaff



Spatial evolution of hot-electron relaxation in quantum Hall conductors	R7536
I. I. Kaya, G. Nachtwei, K. von Klitzing, and K. Eberl	
Optical studies of ultrashort-period GaAs/AlAs superlattices grown on (In,Ga)As pseudosubstrate	R7540
M. Rezki, A. M. Vasson, A. Vasson, P. Lefebvre, V. Calvo, R. Planel, and G. Patriarche	

Surface physics, low-dimensional systems, and related topics

Anomaly in the anisotropy of the aluminum work function	R7544
C. J. Fall, N. Binggeli, and A. Baldereschi	
Superstructure formation and faceting in the Cu(210)-O system studied by scanning tunneling microscopy	R7548
A. T. S. Wee, J. S. Foord, R. G. Egdell, and J. B. Pethica	
Azimuthal dependence of classical over-barrier hopping diffusion of hydrogen on a vicinal Ni(111) surface	R7552
E. Nabighian and X. D. Zhu	
Activation energy for the decay of two-dimensional islands on Cu(100)	R7556
Christian Klünker, James B. Hannon, Margret Giesen, Harald Ibach, Ghyslain Boisvert, and Laurent J. Lewis	

ARTICLES**Electronic structure: wide-band, narrow-band, and strongly correlated systems**

Magnetic breakdown in the organic conductor α -(BEDT-TTF) ₂ KHg(SCN) ₄ in magnetic fields of up to 60 T	7560
M. M. Honold, N. Harrison, M.-S. Nam, J. Singleton, C. H. Mielke, M. Kurmoo, and P. Day	
Real-space multiple-scattering calculation and interpretation of x-ray-absorption near-edge structure	7565
A. L. Ankudinov, B. Ravel, J. J. Rehr, and S. D. Conradson	
<i>Ab initio</i> molecular-dynamics method based on the restricted path integral: Application to the electron plasma and liquid alkali metal	7577
Ki-dong Oh and P. A. Deymier	
Electronic structure and exchange interactions in the manganese-based pyrochlore oxides	7585
S. K. Mishra and S. Satpathy	
Experimental and theoretical study of electron momentum density of K ₆ C ₆₀ and comparison to pristine C ₆₀	7593
M. Marangolo, J. Moscovici, G. Loupiaz, S. Rabii, S. C. Erwin, C. Hérold, J. F. Marêché, and Ph. Lagrange	
Many-body band structure and Fermi surface of the Kondo lattice	7599
R. Eder, O. Rogojuanu, and G.A. Sawatzky	
Charged and spin-excitation gaps in half-filled strongly correlated electron systems: A rigorous result	7612
Guang-Shan Tian	
Chiral liquids in one dimension: A non-Fermi-liquid class of fixed points	7619
Natan Andrei, Michael R. Douglas, and Andrés Jerez	
Electronic and phononic states of the Holstein-Hubbard dimer of variable length	7626
M. Acquarone, J. R. Iglesias, M. A. Gusmão, C. Noce, and A. Romano	
Model for aging in HCl-protonated polyaniline: Structure, conductivity, and composition studies	7637
A. Wolter, P. Rannou, J. P. Travers, B. Gilles, and D. Djurado	
Magneto-optical Kerr spectroscopy of palladium	7648
A. N. Yaresko, L. Uba, S. Uba, A. Ya. Perlov, R. Gontarz, and V. N. Antonov	
Biexcitons in π -conjugated oligomers: Intensity-dependent femtosecond transient-absorption study	7654
V. I. Klimov, D. W. McBranch, N. Barashkov, and J. Ferraris	
Application of relativistic scattering theory of x rays to diffraction anomalous fine structure in Cu	7663
E. Arola and P. Strange	
Polarized x-ray-absorption spectra of TiS ₂ , TiSe ₂ , and TiTe ₂	7668
S. Bocharov, G. Dräger, D. Heumann, A. Simunek, and O. Sipr	

High-resolution angle-resolved photoemission study of LaSb	7675
H. Kumigashira, Hyeong-Do Kim, T. Ito, A. Ashihara, T. Takahashi, T. Suzuki, M. Nishimura, O. Sakai, Y. Kaneta, and H. Harima	
Gauss, Wannier, and ultralocalized functions	7681
P. Zeiner, R. Dirl, and B. L. Davies	
Comprehensive analysis of intermolecular charge-transfer excited states in C ₆₀ and C ₇₀ films	7689
S. Kazaoui, N. Minami, Y. Tanabe, H. J. Byrne, A. Eilmes, and P. Petelenz	

Semiconductors I: bulk

Hybrid density-functional study of the vibrational frequency of a H ₂ molecule at the tetrahedral site of silicon	7701
Yasuharu Okamoto, Mineo Saito, and Atsushi Oshiyama	
Optically detected magnetic resonance study of an arsenic-antisite-arsenic-vacancy complex in GaAs	7707
F. K. Koschnick, K.-H. Wietzke, and J.-M. Spaeth	
Si-C atomic bond and electronic band structure of a cubic Si _{1-y} C _y alloy	7717
Y. Fu, M. Willander, P. Han, T. Matsuura, and J. Murota	
Neutral interstitial iron center in silicon studied by Zeeman spectroscopy	7723
AnnaLena Thilderkvist, Günter Grossmann, Mats Kleverman, and Hermann G. Grimmeiss	
Oxygen isoelectronic impurities in ZnTe: Photoluminescence and absorption spectroscopy	7734
M. J. Seong, I. Miotkowski, and A. K. Ramdas	
Ultrafast charge separation in β -substituted sexithiophene amorphous films	7740
G. Lanzani, G. Cerullo, S. Stagira, S. De Silvestri, and F. Garnier	
EPR and IR spectral properties of hydrogen-associated bulk and surface defects in SiO ₂ : <i>Ab initio</i> calculations ...	7745
Gianfranco Pacchioni and Mirko Vitiello	
Carrier diffusion in Cd _{1-x} Mn _x Te	7753
C. Moussu, I. Zaquine, A. Maruani, and R. Frey	
Comparison of calculated optical response in cubic and hexagonal II-VI semiconductors	7761
James L. P. Hughes and J. E. Sipe	
Time-dependent heat diffusion in semiconductors by electrons and phonons	7768
G. González de la Cruz and Yu. G. Gurevich	
Transport properties of polyaniline-cellulose-acetate blends	7774
Jérôme Planès, Andreas Wolter, Yasmina Cheguettine, Adam Proń, Françoise Genoud, and Maxime Nechtschein	
Thermopower investigation of <i>n</i> - and <i>p</i> -type GaN	7786
M. S. Brandt, P. Herbst, H. Angerer, O. Ambacher, and M. Stutzmann	
Coexistence of neutral and charged arenes in conducting diperylene hexafluorophosphate	7792
Gerda Fischer and Elmar Dormann	

Semiconductors II: surfaces, interfaces, microstructures, and related topics

Reflection anisotropy spectroscopy study of the near-surface electric fields in undoped, <i>n</i> - and <i>p</i> -doped low-temperature grown GaAs (001)	7795
Todd Holden, W. D. Sun, Fred H. Pollak, J. L. Freeouf, D. McInturff, and J. M. Woodall	
Comparison between <i>ab initio</i> theory and scanning tunneling microscopy for (110) surfaces of III-V semiconductors	7799
B. Engels, P. Richard, K. Schroeder, S. Blügel, Ph. Ebert, and K. Urban	
Gauge-invariant grid discretization of the Schrödinger equation	7816
Michele Governale and Carlo Ungarelli	
Interface effects on magnetopolarons in GaAs/Al _x Ga _{1-x} As quantum wells at high magnetic fields	7822
G. Q. Hai, F. M. Peeters, N. Studart, Y. J. Wang, and B. D. McCombe	
Binding energies of ground and excited donor states bound to <i>X</i> valleys in GaAs/AlAs type-II quantum wells	7829
Gleise N. Carneiro and Gerald Weber	

Localization at interfaces of imperfect AlSb/InAs heterostructures	7834
M. J. Shaw	
Weak-localization magnetoresistance in quench-condensed lithium films	7844
Eric D. Black and John C. Price	
Properties of CdSe nanocrystal dispersions in the dilute regime: Structure and interparticle interactions	7850
Hedi Mattoussi, Andrew W. Cumming, Christopher B. Murray, Mounji G. Bawendi, and Raymond Ober	
Heterojunction band offsets and Schottky-barrier heights: Tersoff's theory in the presence of strain	7864
C. Ohler, C. Daniels, A. Förster, and H. Lüth	
Quantum point contact on graphite surface	7872
Ç. Kılıç, H. Mehrez, and S. Ciraci	
Cotunneling and renormalization effects for the single-electron transistor	7882
Jürgen König, Herbert Schoeller, and Gerd Schön	
Dual response models for the fractional quantum Hall effect	7893
L. Cooper, I. I. Kogan, A. Lopez, and R. J. Szabo	
Fermi-hypernetted-chain study of unprojected wave functions to describe the half-filled state of the fractional quantum Hall effect	7898
O. Ciftja and S. Fantoni	
Influence of the exchange reaction on the electronic structure of GaN/Al junctions	7906
S. Picozzi, A. Continenza, S. Massidda, A. J. Freeman, and N. Newman	
Resonant Raman scattering and photoluminescence in SiO _x /CdSe multiple quantum wells	7913
D. Nesheva, C. Raptis, and Z. Levi	
Size-dependent near-infrared photoluminescence from Ge nanocrystals embedded in SiO ₂ matrices	7921
Shinji Takeoka, Minoru Fujii, Shinji Hayashi, and Keiichi Yamamoto	
Role of the exchange of carriers in elastic exciton-exciton scattering in quantum wells	7926
C. Ciuti, V. Savona, C. Piermarocchi, A. Quattropani, and P. Schwendimann	
Coplanar and grazing incidence x-ray-diffraction investigation of self-organized SiGe quantum dot multilayers	7934
V. Holý, A. A. Darhuber, J. Stangl, S. Zerlauth, F. Schäffler, G. Bauer, N. Darowski, D. Lübbert, U. Pietsch, and I. Vávra	
Dissociative adsorption of NH ₃ on Si(001)-(2×1)	7944
R. Miotto, G. P. Srivastava, and A. C. Ferraz	
Cl ₂ dissociation on Si(100)-(2×1): A statistical study by scanning tunneling microscopy	7950
I. Lyubnitsky, Z. Dohnálek, W. J. Choyke, and J. T. Yates, Jr.	
Surface acoustic waves in two-dimensional periodic elastic structures	7958
Yukihiro Tanaka and Shin-ichiro Tamura	
Hydrogen-boron interactions in <i>p</i> -type diamond	7966
J. Chevallier, B. Theys, A. Lusson, C. Gratepain, A. Deneuville, and E. Gheeraert	
Binding energy of bound excitons <i>D</i> ⁰ <i>X</i> in quantum wells	7970
J. L. Dunn, C. A. Bates, M. J. Pye, D. Boffety, A.-M. Vasson, A. Vasson, and J. Leymarie	
Degenerate four-wave mixing measurements on an exciton-photon coupled system in a semiconductor microcavity	7978
Masayuki Shirane, C. Ramkumar, Yu. P. Svirko, Hidekatsu Suzuura, Shin Inouye, Ryo Shimano, Takao Someya, Hiroyuki Sakaki, and Makoto Kuwata-Gonokami	
Polaron in a spherical quantum dot embedded in a nonpolar matrix	7986
Kazunori Oshiro, Koji Akai, and Mitsuru Matsuura	
Mesoscopic pointlike defects in semiconductors: Deep-level energies	7994
D. D. Nolte	
Edge and bulk electron states in a quasi-one-dimensional metal in a magnetic field: The semi-infinite Wannier-Stark ladder	8002
Victor M. Yakovenko and Hsi-Sheng Goan	

Strong localization of electrons in quasi-one-dimensional conductors	8009
Yu. B. Khavin, M. E. Gershenson, and A. L. Bogdanov	
Electrical band-gap energy of porous silicon and the band offsets at the porous-silicon/crystalline-silicon heterojunction measured versus sample temperature	8020
J. T. Frederiksen, P. G. Melcher, and E. Veje	
Surface physics, low-dimensional systems, and related topics	
X-ray speckles from an optical grating	8025
Binhua Lin, Mark L. Schlossman, Mati Meron, Scott M. Williams, Zhengqing Huang, and P. James Viccaro	
First-principles theory of inelastic currents in a scanning tunneling microscope	8038
K. Stokbro, Ben Yu-Kuang Hu, C. Thirstrup, and X. C. Xie	
Scanning tunneling microscopy of the misfit-layer compound (SmS) _{1.19} NbS ₂	8042
Youichi Ohno	
First-principles study of the surfaces of zirconia	8050
A. Christensen and Emily A. Carter	
Structure and microstructure of La _{1-x} Ca _x MnO _{3-δ} thin films prepared by pulsed laser deposition	8065
O. I. Lebedev, G. Van Tendeloo, S. Amelinckx, B. Leibold, and H.-U. Habermeyer	
Relaxations of TiO ₂ - and SrO-terminated SrTiO ₃ (001) surfaces	8075
Zhi-Qiang Li, Jia-Lin Zhu, C. Q. Wu, Z. Tang, and Yoshiyuki Kawazoe	
Electron relaxation in disordered gold films	8079
B. I. Belevtsev, Yu. F. Komnik, and E. Yu. Beliaev	
Derivation of inelastic-electron-scattering cross sections from quantitative analysis of reflection-electron-energy-loss spectra	8087
Y. F. Chen	
Calculations of near-edge x-ray-absorption spectra of gas-phase and chemisorbed molecules by means of density-functional and transition-potential theory	8097
L. Triguero, L. G. M. Pettersson, and H. Ågren	
Deformations of quasi-two-dimensional electron gas clusters	8111
S. M. Reimann, M. Koskinen, J. Helgesson, P. E. Lindelof, and M. Manninen	
Analysis of quantum conductance of carbon nanotube junctions by the effective-mass approximation	8120
Ryo Tamura and Masaru Tsukada	
Cumulative Author Index	8125