

PHYSICAL REVIEW B

For editorial and subscription correspondence,
please see inside front cover
(ISSN: 0163-1829)

PERIODICALS

Postmaster send address changes to:
American Institute of Physics
500 Sunnyside Boulevard
Woodbury, NY 11797-2999

THIRD SERIES, VOLUME 58, NUMBER 16

CONTENTS

15 OCTOBER 1998-II

RAPID COMMUNICATIONS

Electronic structure: wide-band, narrow-band, and strongly correlated systems

- Magnetoresistance of bismuth nanowire arrays: A possible transition from one-dimensional to three-dimensional localization R10 091
J. Heremans, C. M. Thrush, Z. Zhang, X. Sun, M. S. Dresselhaus, J. Y. Ying, and D. T. Morelli
- Superprism phenomena in photonic crystals R10 096
Hideo Kosaka, Takayuki Kawashima, Akihisa Tomita, Masaya Notomi, Toshiaki Tamamura, Takashi Sato, and Shojiro Kawakami
- Quantum Monte Carlo simulations of infinitely strongly correlated fermions R10 100
M. Brunner and A. Muramatsu
- Low-temperature specific heat of $\text{UCu}_{5-x}\text{Pd}_x$: A test for non-Fermi-liquid theory R10 104
E.-W. Scheidt, T. Schreiner, K. Heuser, S. Koerner, and G. R. Stewart
- High-temperature resistivity of Sr_2RuO_4 : Bad metallic transport in a good metal R10 107
A. W. Tyler, A. P. Mackenzie, S. NishiZaki, and Y. Maeno
- Localization in an imaginary vector potential R10 111
P. G. Silvestrov
- Probing anisotropic magnetotransport in manganese perovskites using Raman spectroscopy R10 115
H. L. Liu, S. Yoon, S. L. Cooper, S.-W. Cheong, P. D. Han, and D. A. Payne

Semiconductors I: bulk

- Negative- U centers in $4H$ silicon carbide R10 119
C. G. Hemmingsson, N. T. Son, A. Ellison, J. Zhang, and E. Janzén

Semiconductors II: surfaces, interfaces, microstructures, and related topics

- Threshold behavior in the collision broadening of microcavity polaritons R10 123
C. Ciuti, V. Savona, C. Piermarocchi, A. Quattropani, and P. Schwendimann
- Scanning transmission-electron microscopy study of InAs/GaAs quantum dots R10 127
P. D. Sivers, S. Malik, G. McPherson, D. Childs, C. Roberts, R. Murray, B. A. Joyce, and H. Davock
- Observation of antibound states for exciton pairs by four-wave-mixing experiments in a single ZnSe quantum well R10 131
Hailong Zhou, A. V. Nurmikko, C.-C. Chu, J. Han, R. L. Gunshor, and T. Takagahara
- Scattering approach to parametric pumping R10 135
P. W. Brouwer



Electronic structure of the GaAs(001)2×4 and GaAs(110) surfaces studied by high-resolution electron-energy-loss spectroscopy	R10 139
F. Arciprete, F. Patella, A. Balzarotti, M. Fanfoni, N. Motta, A. Sgarlata, A. Boselli, G. Onida, A. I. Shkrebtii, and R. Del Sole	
Chaotic behavior induced by point contacts in quantum dots	R10 143
J. A. Vergés, E. Cuevas, M. Ortuño, and E. Louis	
Polarized photoluminescence spectroscopy of single self-assembled InAs quantum dots	R10 147
Y. Toda, S. Shinomori, K. Suzuki, and Y. Arakawa	
Excitation transfer in self-organized asymmetric quantum-dot pairs	R10 151
R. Heitz, I. Mukhametzhanov, P. Chen, and A. Madhukar	
High-temperature conductance of the single-electron transistor	R10 155
Georg Göppert and Hermann Grabert	
Shot noise enhancement in resonant-tunneling structures in a magnetic field	R10 159
V. V. Kuznetsov, E. E. Mendez, J. D. Bruno, and J. T. Pham	
Ground-state wave functions of general filling factors in the lowest Landau level	R10 163
J. H. Han and S.-R. Eric Yang	
Possibility of p -wave pairing of composite fermions at $\nu = \frac{1}{2}$	R10 167
K. Park, V. Melik-Alaverdian, N. E. Bonesteel, and J. K. Jain	
Magnons and Skyrmions in fractional Hall ferromagnets	R10 171
A. H. MacDonald and J. J. Palacios	
Resonant Rayleigh scattering versus incoherent luminescence in semiconductor microcavities	R10 175
G. R. Hayes, S. Haacke, M. Kauer, R. P. Stanley, R. Houdré, U. Oesterle, and B. Deveaud	
Optical polarization relaxation in $\text{In}_x\text{Ga}_{1-x}\text{As}$ -based quantum wells: Evidence of the interface symmetry-reduction effect	R10 179
T. Guettler, A. L. C. Triques, L. Vervoort, R. Ferreira, Ph. Roussignol, P. Voisin, D. Rondi, and J. C. Harmand	
Effect of the hole subband mixing on the spin splitting of heavy-hole excitons in coupled $\text{In}_{0.045}\text{Ga}_{0.955}\text{As}/\text{GaAs}$ double quantum wells	R10 183
T. Wang, M. Bayer, and A. Forchel	
Effect of electron-hole separation on the Landau-level photoluminescence in layered structures in a tilted magnetic field: Magneto-Stark effect	R10 187
S. K. Lyo	
Pressure dependence of optical transitions in $\text{In}_{0.15}\text{Ga}_{0.85}\text{N}/\text{GaN}$ multiple quantum wells	R10 191
W. Shan, J. W. Ager III, W. Walukiewicz, E. E. Haller, M. D. McCluskey, N. M. Johnson, and D. P. Bour	
Surface physics, low-dimensional systems, and related topics	
Observation of an adlayer-driven substrate reconstruction in Cu-Pt(111)	R10 195
B. Holst, M. Nohlen, K. Wandelt, and W. Allison	
Electronic Kapitza conductance due to inelastic electron-boundary scattering	R10 199
A. V. Sergeev	
Ultrafast electron dynamics in gold nanoshells	R10 203
R. D. Averitt, S. L. Westcott, and N. J. Halas	
Surface-state contribution to the optical anisotropy of Ag(110) surfaces: A reflectance-anisotropy-spectroscopy and photoemission study	R10 207
K. Stahrenberg, T. Herrmann, N. Esser, J. Sahm, W. Richter, S. V. Hoffmann, and Ph. Hofmann	
Identification of electronic bonding states of hydrogen on Ni(110)	R10 210
E. Boschung, Th. Pillo, J. Hayoz, L. Patthey, P. Aebi, and L. Schlapbach	

Ripplon-induced tunneling transverse to the magnetic field	R10 214
T. Barabash, M. I. Dykman, P. M. Platzman, and V. N. Smelyanskiy	

ARTICLES

Electronic structure: wide-band, narrow-band, and strongly correlated systems

Picosecond time-resolved spectroscopy of the excited state in a soluble derivative of poly(phenylene vinylene): Origin of the bimolecular decay	10 218
Arthur Dogariu, Dan Vacar, and Alan J. Heeger	
Friedel oscillations in the open Hubbard chain	10 225
G. Bedürftig, B. Brendel, H. Frahm, and R. M. Noack	
Full-potential spin-polarized relativistic Korringa-Kohn-Rostoker method implemented and applied to bcc Fe, fcc Co, and fcc Ni	10 236
T. Hühne, C. Zecha, H. Ebert, P. H. Dederichs, and R. Zeller	
Quasi-two-dimensional spin-split Fermi-liquid behavior of κ -(BEDT-TTF) ₂ I ₃ in strong magnetic fields	10 248
N. Harrison, C. H. Mielke, D. G. Rickel, J. Wosnitza, J. S. Qualls, J. S. Brooks, E. Balthes, D. Schweitzer, I. Heinen, and W. Strunz	
Comparative spectroscopic study of NiS _{2-x} Se _x single crystals	10 256
J. G. Rodrigo, S. Vieira, P. Somasundaram, J. M. Honig, F. A. Chudnovsky, and V. N. Andreev	
Metal-insulator transition in the one-dimensional Kondo lattice model	10 261
Karyn Le Hur	
Elementary excitations in the coupled spin-orbital model	10 276
J. van den Brink, W. Stekelenburg, D. I. Khomskii, G. A. Sawatzky, and K. I. Kugel	
Experimental confirmation of a <i>p-p</i> intraband gap in Sr ₂ FeO ₄	10 283
G. Kh. Rozenberg, A. P. Milner, M. P. Pasternak, G. R. Hearne, and R. D. Taylor	
Heavy-fermion-metal-Kondo insulator transition in FeSi _{1-x} Al _x	10 288
J. F. DiTusa, K. Friemelt, E. Bucher, G. Aeppli, and A. P. Ramirez	
Enhanced thermoelectric power and cooling ability near the Anderson transition	10 302
K. Durczewski and A. Krzywicki	
Electronic stopping power of aluminum crystal	10 307
I. Campillo, J. M. Pitarke, and A. G. Eguiluz	
Electrical and magnetic properties of a series of ternary barium metal ruthenates: Ba ₃ MRu ₂ O ₉ (<i>M</i> = Fe, Co, Ni, Cu, and In)	10 315
J. T. Rijssenbeek, P. Matl, B. Batlogg, N. P. Ong, and R. J. Cava	
Dipole and interfacial polarization phenomena in natural single-crystal calcite studied by the thermally stimulated depolarization currents method	10 319
N. Bogris, J. Grammatikakis, and A. N. Papathanassiou	
Direct and indirect transitions in the region of the band gap using electron-energy-loss spectroscopy	10 326
B. Rafferty and L. M. Brown	
Detection of inactive defects in crystalline silicon by high-resolution transmission-electron energy-loss spectroscopy	10 338
H. Kohno, T. Mabuchi, S. Takeda, M. Kohyama, M. Terauchi, and M. Tanaka	
Spectral statistics in disordered metals: A trajectories approach	10 343
R. A. Smith, I. V. Lerner, and B. L. Altshuler	
Signal scattering in multiport electron-waveguide devices	10 351
Jan-Olof J. Wesström	

Semiconductors I: bulk

Structure and chemical order of bulk $\text{Si}_{1-x}\text{C}_x$ amorphous alloys	10 357
Daniele Mura, Luciano Colombo, Rita Bertoncini, and Gianni Mula	
Defects in electron-irradiated Si studied by positron-lifetime spectroscopy	10 363
A. Polity, F. Börner, S. Huth, S. Eichler, and R. Krause-Rehberg	
Evidence of the negative- U behavior of H in GaAs from an investigation of H and As antisites	10 378
Aldo Amore Bonapasta	
Hyperspherical adiabatic approach for excitons bound to ionized donors in semiconductors	10 383
J. J. De Groote, A. S. dos Santos, M. Masili, and J. E. Hornos	
Structure and electronic properties of FeSi_2	10 389
S. J. Clark, H. M. Al-Allak, S. Brand, and R. A. Abram	
Band structure of BeTe: A combined experimental and theoretical study	10 394
M. Nagelstraßer, H. Dröge, H.-P. Steinrück, F. Fischer, T. Litz, A. Waag, G. Landwehr, A. Fleszar, and W. Hanke	
Theoretical and experimental study of the quasistatic capacitance of metal-insulator-hydrogenated amorphous silicon structures: Strong evidence for the defect-pool model	10 401
J. P. Kleider and F. Dayoub	
Role of codopant oxygen in erbium-doped silicon	10 415
Jun Wan, Ye Ling, Qiang Sun, and Xun Wang	
Impact of a Jahn-Teller-like correlation coupling on the properties of mixed-valent SmB_6	10 421
O. Brandt, E. Sigmund, and M. Wagner	
Quantum oscillatory properties of the semimagnetic semiconductor $\text{PbTe}(\text{Cr})$	10 430
B. A. Akimov, N. A. Lvova, and L. I. Ryabova	
Magnetic quenching of time-reversed light in photorefractive diluted magnetic semiconductors	10 435
M. Dinu, I. Miotkowski, and D. D. Nolte	
Resonant hyper-Raman scattering in semiconductors	10 443
A. García-Cristóbal, A. Cantarero, C. Trallero-Giner, and M. Cardona	
Optical-phonon behavior in $\text{Ga}_{1-x}\text{In}_x\text{As}$: The role of microscopic strains and ionic plasmon coupling	10 452
J. Groenen, R. Carles, G. Landa, C. Guerret-Piécourt, C. Fontaine, and M. Gendry	
Temperature dependence of the Raman spectrum of $\text{Al}_x\text{Ga}_{1-x}\text{As}$ ternary alloys	10 463
J. Jiménez, E. Martín, A. Torres, and J. P. Landesman	
Excitonic and free-carrier quantum beats created by femtosecond excitation at the band edge of GaAs	10 470
Markus Joschko, Michael Hasselbeck, Michael Woerner, Thomas Elsaesser, R. Hey, H. Kostial, and K. Ploog	
Vacancies and vacancy-oxygen complexes in silicon: Positron annihilation with core electrons	10 475
J. Kuriplach, A. L. Morales, C. Dauwe, D. Segers, and M. Šob	
Core x-ray spectra in semiconductors and the Mahan-Nozieres-De Dominicis model	10 484
Peteris Livins	
Dispersion of the second-order nonlinear susceptibility in ZnTe, ZnSe, and ZnS	10 494
H. P. Wagner, M. Kühnelt, W. Langbein, and J. M. Hvam	
Compensating levels in p -type ZnSe:N studied by optical deep-level transient spectroscopy	10 502
S. Q. Wang, F. Lu, Z. Q. Zhu, T. Sekiguchi, H. Okushi, K. Kimura, and T. Yao	
Effects of isotope disorder on energies and lifetimes of phonons in germanium	10 510
A. Göbel, D. T. Wang, M. Cardona, L. Pintschovius, W. Reichardt, J. Kulda, N. M. Pyka, K. Itoh, and E. E. Haller	

Semiconductors II: surfaces, interfaces, microstructures, and related topics

Ordering of self-assembled $\text{Si}_{1-x}\text{Ge}_x$ islands studied by grazing incidence small-angle x-ray scattering and atomic force microscopy	10 523
M. Schmidbauer, Th. Wiebach, H. Raidt, M. Hanke, R. Köhler, and H. Wawra	
Au-induced superstructure formation on vicinal $\text{Si}(001)$ studied by low-energy electron diffraction and reflectance anisotropy spectroscopy	10 532
J. R. Power and P. Weightman	
Electronic structure of the Si-rich $3\text{C-SiC}(001)3\times 2$ surface	10 540
H. W. Yeom, Y.-C. Chao, I. Matsuda, S. Hara, S. Yoshida, and R. I. G. Uhrberg	
<i>Ab initio</i> calculations of soft-x-ray emission from $\text{Si}(100)$ layers buried in GaAs	10 551
S. Mankefors, P. O. Nilsson, J. Kanski, and K. Karlsson	
Electronic states in strained cleaved-edge-overgrowth quantum wires and quantum dots	10 557
M. Grundmann, O. Stier, and D. Bimberg	
In-plane polarized intraband absorption in InAs/GaAs self-assembled quantum dots	10 562
S. Sauvage, P. Boucaud, J.-M. Gérard, and V. Thierry-Mieg	
Exciton binding energy in a quantum well	10 568
B. Gerlach, J. Wüsthoff, M. O. Dzero, and M. A. Smondyrev	
Effect of a spatially dependent effective mass on the hydrogenic impurity binding energy in a finite parabolic quantum well	10 578
Xiang-Hong Qi, Xiao-Jun Kong, and Jian-Jun Liu	
Numerical study of localization in antidot lattices	10 583
Seiji Uryu and Tsuneya Ando	
Screening of the surface-acoustic-wave potential by a metal gate and the quantization of the acoustoelectric current in a narrow channel	10 589
G. R. Aizin, Godfrey Gumbs, and M. Pepper	
Conductance fluctuations in a rectangular dot at constant magnetic fields	10 597
I. V. Zozoulenko, A. S. Sachrajda, P. Zawadzki, K.-F. Berggren, Y. Feng, and Z. Wasilewski	
Intrinsic admittance of unipolar double-barrier resonant-tunneling structures	10 602
A. Kindlihan, A. G. Mal'shukov, K. A. Chao, and M. Willander	
ac response of bipolar double-barrier resonant-tunneling structures	10 609
A. Kindlihan, A. G. Mal'shukov, K. A. Chao, and M. Willander	
Role of the X minimum in transport through AlAs single-barrier structures	10 619
J. J. Finley, R. J. Teissier, M. S. Skolnick, J. W. Cockburn, G. A. Roberts, R. Grey, G. Hill, M. A. Pate, and R. Planel	
Magnetic-field-induced delocalization in center-doped $\text{GaAs}/\text{Al}_x\text{Ga}_{1-x}\text{As}$ multiple quantum wells	10 629
C. H. Lee, Y. H. Chang, Y. W. Suen, and H. H. Lin	
Skymion lattice melting in the quantum Hall system	10 634
Carsten Timm, S. M. Girvin, and H. A. Fertig	
Influence of magnetic-field-induced spin-density-wave motion and finite temperature on the quantum Hall effect in quasi-one-dimensional conductors: A quantum field theory	10 648
Victor M. Yakovenko and Hsi-Sheng Goan	
Field theory of Skyrme lattices in quantum Hall ferromagnets	10 665
M. Abolfath and M. R. Ejtehadi	
Excitonic electroabsorption spectra and Franz-Keldysh effect of $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{InP}$ studied by small modulation of static fields	10 674
A. Jaeger and G. Weiser	
Influence of crystal-potential fluctuations on Raman spectra of coupled plasmon-LO-phonon modes in disordered systems	10 683
Yu. A. Pusep, M. T. O. Silva, J. C. Galzerani, N. T. Moshegov, and P. Basmaji	

Exciton transport and nonradiative decay in semiconductor nanostructures	10 687
I. N. Krivorotov, T. Chang, G. D. Gilliland, L. P. Fu, K. K. Bajaj, and D. J. Wolford	
Exciton photoluminescence of hexagonal ZnO	10 692
T. V. Butkhuzi, T. G. Chelidze, A. N. Georgobiani, D. L. Jashiashvili, T. G. Khulordava, and B. E. Tsekvava	
Spatial distributions of near-band-gap uv and yellow emission on MOCVD grown GaN epilayers	10 696
L. W. Tu, Y. C. Lee, D. Stocker, and E. F. Schubert	
Effects of interface-layers composition and strain distribution on the optical transitions of InAs quantum dots on InP	10 700
H. Folliot, S. Loualiche, B. Lambert, V. Drouot, and A. Le Corre	
Optical emission of a one-dimensional electron gas in semiconductor V-shaped quantum wires	10 705
H. P. van der Meulen, J. Rubio, I. Azcona, J. M. Calleja, T. C. Rojas, S. I. Molina, R. Garcia, and U. Marti	
Electric-field-dependent absorption of ZnSe-based quantum wells: The transition from two-dimensional to three-dimensional behavior	10 709
D. Merbach, E. Schöll, W. Ebeling, P. Michler, and J. Gutowski	
van der Waals interaction of a molecule with a semiconductor surface not in equilibrium	10 721
Fridrikh G. Bass and Valeri Z. Lozovski	
Charge exchange in an atom-surface system under laser irradiation	10 728
Andrey V. Lugovskoy	
Mechanisms of cluster implantation in silicon: A molecular-dynamics study	10 736
Sigeo Ihara, Satoshi Itoh, and Jun'ichi Kitakami	
Local atomic structure in strained interfaces of $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{InP}$ heterostructures	10 745
F. Boscherini, C. Lamberti, S. Pascarelli, C. Rigo, and S. Mobilio	
Vibrational properties of Ge- and Sb-adsorbed Si(001) surfaces	10 754
H. M. Tütüncü, S. J. Jenkins, and G. P. Srivastava	
Applying voltage sources to a Luttinger liquid with arbitrary transmission	10 761
Reinhold Egger and Hermann Grabert	
Exciton binding energies in polar quantum wells with finite potential barriers	10 769
Ruisheng Zheng and Mitsuru Matsuura	
Bulk quantum Hall effect in $\eta\text{-Mo}_4\text{O}_{11}$	10 778
S. Hill, S. Uji, M. Takashita, C. Terakura, T. Terashima, H. Aoki, J. S. Brooks, Z. Fisk, and J. Sarrao	
Conductance quantization in a periodically modulated quantum channel: Backscattering and mode mixing	10 784
P. Singha Deo, B. C. Gupta, A. M. Jayannavar, and F. M. Peeters	
Theory of potential modulation in lateral surface superlattices. III. Two-dimensional superlattices and arbitrary surfaces	10 789
John H. Davies, David E. Petticrew, and Andrew R. Long	

Surface physics, low-dimensional systems, and related topics

<i>In situ</i> x-ray standing-wave analysis of electrodeposited Cu monolayers on GaAs(001)	10 800
G. Scherb, A. Kazimirov, J. Zegenhagen, T. L. Lee, M. J. Bedzyk, H. Noguchi, and K. Uosaki	
LEED holography applied to a complex superstructure: A direct view of the adatom cluster on SiC(111)-(3×3)	10 806
K. Reuter, J. Schardt, J. Bernhardt, H. Wedler, U. Starke, and K. Heinz	
Role of scattering-factor anisotropy in electron, positron, and photon holography	10 815
S. Y. Tong, C. W. Mok, Huasheng Wu, and L. Z. Xin	
Light emission from a scanning tunneling microscope: Fully retarded calculation	10 823
Peter Johansson	
Surface-tip interactions in noncontact atomic-force microscopy on reactive surfaces: Si(111)	10 835
Rubén Pérez, Ivan Stich, Michael C. Payne, and Kiyoyuki Terakura	

Molecular and intramolecular dynamics of a C ₈₀ dimetallofullerene	10 850
Wataru Sato, Keisuke Sueki, Koichi Kikuchi, Shinzo Suzuki, Yohji Achiba, Hiromichi Nakahara, Yoshitaka Ohkubo, Kichizo Asai, and Fumitoshi Ambe	
<i>Ab initio</i> calculations of the structural properties of the YSi ₂ (0001) surface	10 857
L. Magaud, A. Pasturel, G. Kresse, and J. Hafner	
Molecular orientation determined by second-harmonic generation: Self-assembled monolayers	10 860
Frank Eisert, Oliver Dannenberger, and Manfred Buck	
Alloy decomposition during growth due to mobility differences	10 871
P. Venezuela and J. Tersoff	
Control of heteroepitaxial stacking by substrate miscut	10 875
S. W. Bonham and C. P. Flynn	
Molecular orientation with visible light: Reflectance-anisotropy spectroscopy of 3-thiophene carboxylate on Cu(110) surfaces	10 883
B. G. Frederick, R. J. Cole, J. R. Power, C. C. Perry, Q. Chen, N. V. Richardson, P. Weightman, C. Verdozzi, D. R. Jennison, P. A. Schultz, and M. P. Sears	
Adsorption energies and ordered structures of hydrogen on Pd(111) from density-functional periodic calculations	10 890
O. M. Løvvik and R. A. Olsen	
Elastic scattering of surface plasmon polaritons: Modeling and experiment	10 899
Sergey I. Bozhevolnyi and Victor Coello	
Theoretical study of electrical conduction through a molecule connected to metallic nanocontacts	10 911
Eldon G. Emberly and George Kirczenow	
Electromagnetic response of charged bosons coupled to a Chern-Simons gauge field: A path-integral approach	10 921
D. G. Barci, E. V. Corrêa Silva, and J. F. Medeiros Neto	
Electronic transport by ultrathin molybdenum layers buried in amorphous silicon	10 933
H.-M. Latuske and T. P. Drüsedau	
Tunneling in multilayer fullerene/Al ₂ O ₃ and fullerene/Ge systems	10 942
S. Nolen and S. T. Ruggiero	
Femtosecond photoemission study of ultrafast electron dynamics in single-crystal Au(111) films	10 948
J. Cao, Y. Gao, H. E. Elsayed-Ali, R. J. D. Miller, and D. A. Mantell	
Ion neutralization on composite catalysts	10 953
Y. G. Weng, Z. X. Yang, G. H. Wei, X. Q. Dai, S. Y. Wei, and T. Zhang	
Positive- and negative-ion formation in low-energy O ⁺ -Cu(001) scattering	10 959
C. A. Keller, A. C. Lavery, and B. H. Cooper	
Experimental analysis of valence-band photoemission intensities for Cu(111) and Cu(100)	10 969
A. Gerlach, R. Matzdorf, and A. Goldmann	
Reliable determination of kinetics parameters of adatoms in thin-film epitaxy	10 975
X. D. Zhu	
Laser interaction with Br-GaAs(110): Etching and atomic desorption	10 981
B. Y. Han and J. H. Weaver	
Arsenic redistribution at the SiO ₂ /Si interface during oxidation of implanted silicon	10 990
Fabio Iacona, Vito Raineri, Francesco La Via, Antonio Terrasi, and Emanuele Rimini	
Bond-charge-model calculation of vibrational properties in small carbon aggregates: From spherical clusters to linear chains	11 000
Nicola Breda, Giovanni Onida, Giorgio Benedek, Gianluca Colò, and Ricardo A. Broglia	
Optimized geometries and electronic structures of graphyne and its family	11 009
Nobuo Narita, Sumiaki Nagai, Shugo Suzuki, and Kenji Nakao	
Cation intercalation in sputter-deposited W oxide films	11 015
Maria Strømme Mattsson	

CONTENTS - *Continued*

PHYSICAL REVIEW B

THIRD SERIES, VOLUME 58, NUMBER 16

15 OCTOBER 1998-II

Correlation and electron-phonon effects in the valence-band photoemission spectra of single-phase K_3C_{60} films	11 023
A. Goldoni, S. L. Friedmann, Z.-X. Shen, and F. Parmigiani	
Ethylene on Si(001)- 2×1 and Si(111)- 7×7 : X-ray photoemission spectroscopy with synchrotron radiation	11 029
François Rochet, Florence Jolly, Fabrice Bournel, Georges Dufour, Fausto Sirotti, and Jean-Louis Cantin	
<i>Ab initio</i> adiabatic He and Ne interaction on Ag: An all-electron calculation	11 043
M. I. Trioni, S. Marcotulio, G. Santoro, V. Bortolani, G. Palumbo, and G. P. Brivio	

COMMENTS

Comment on “Quaternary alloy $Zn_{1-x}Mg_xS_ySe_{1-y}$ ”	11 052
U. Lunz, C. R. Becker, W. Faschinger, and G. Landwehr	
Reply to “Comment on ‘Quaternary alloy $Zn_{1-x}Mg_xS_ySe_{1-y}$ ’ ”	11 054
Hiroyuki Okuyama and Akira Ishibashi	
Cumulative Author Index	11 055