

**Erratum: Vacuum-Polarization Corrections to the Parity-Nonconserving
6s-7s Transition Amplitude in ^{133}Cs
[Phys. Rev. Lett. 87, 233001 (2001)]**

W. R. Johnson, I. Bednyakov, and G. Soff
(Published 5 February 2002)

DOI: 10.1103/PhysRevLett.88.079903

PACS numbers: 32.80.Ys, 11.30.Er, 31.30.Jv, 99.10.+g

The contributions to the parity-nonconservation (PNC) amplitude presented in Table II should be multiplied by a factor of 10. A corrected version of the table is given below. The conclusions of our Letter remain unchanged.

We thank I. Goidenko for calling this error to our attention.

TABLE II. One-loop corrections to the weak HF-PNC amplitude for the 6s-7s PNC amplitude for ^{133}Cs are shown in the upper panel and to the weak RPA-PNC amplitude in the lower panels. Values are listed without and with corrections from Eq. (4). Units: $iea_0 \times 10^{-12}(-Q_W/N)$.

Type	$\langle \phi_{7s} D \phi_{6s} \rangle$	$\langle \delta \phi_{7s} D \phi_{6s} \rangle$	E_{PNC}
Weak HF approximation:			
DHF	2.749 183	-10.143 87	-7.394 685
DHF + δV	2.760 414	-10.185 81	-7.425 391
Δ (%)	0.41	0.41	0.41
Weak RPA approximation:			
RPA	3.457 036	-12.725 62	-9.268 581
RPA + δV	3.471 169	-12.778 34	-9.307 166
Δ (%)	0.41	0.41	0.41